

# CSCI 241

Scott Wehrwein

Graphs: Terminology

# Goals



Know the definition of a **graph** and its basic associated terminology:

- **node/vertex**
- **edge/arc**
- **directed, undirected**
- **adjacent, (in-/out-)degree**
- **path, cycle**
- **(strongly/weakly) connected**
- **connected component**


# Graphs: The Abstract View

**Graph: a bunch of points connected by lines.**



**The lines may have directions, or not.**



$K_5$



$K_{3,3}$



# Graphs, Formally

A **directed graph** (digraph) is a pair  $(\mathbf{V}, \mathbf{E})$  where:

- $\mathbf{V}$  is a (finite) set
- $\mathbf{E}$  is a set of **ordered** pairs  $(u, v)$  where  $u, v$  are in  $\mathbf{V}$
- Often (not always):  $u \neq v$   
(i.e., no edges from a vertex to itself)

An element in  $\mathbf{V}$  is called a **vertex** or **node**

Elements in  $\mathbf{E}$  are called **edges** or **arcs**

$|\mathbf{V}|$  = size of  $\mathbf{V}$  (traditionally called  $n$  or  $v$ )

$|\mathbf{E}|$  = size of  $\mathbf{E}$  (traditionally called  $m$  or  $e$ )

# Graphs, Formally


An **undirected graph** is just like a digraph, but

- The pairs in **E** are **unordered**

$$\mathbf{V} = \{A, B, C, D, E\}$$

$$\mathbf{E} = \{(A, C), (A, B), (B, C), (C, D)\}$$

$$|\mathbf{V}| = 5 \quad |\mathbf{E}| = 4$$





Any **undirected graph** has an equivalent **directed graph**:

- Replace each undirected edge with two directed edges

A **directed graph** doesn't always have an equivalent **undirected graph**.

# Graph Terminology: Adjacency

- Two vertices are **adjacent** if they are connected by an edge  
In graph G, B and C are *adjacent*.
- Nodes u and v are called the **source** and **sink** of the **directed** edge (u, v)  
In graph G, B is the *source* and C is the *sink* on the edge from B to C.
- Nodes u and v are **endpoints** of an edge (u, v) (directed or undirected)  
In graph H, C and D are *endpoints* of the edge between C and D.



# Graph Terminology: Degree

- The **outdegree** of a vertex  $u$  in a **directed** graph is the number of edges for which  $u$  is the source



In graph  $G$ ,  $B$  has *outdegree 2*.

- The **indegree** of a vertex  $v$  in a **directed** graph is the number of edges for which  $v$  is the sink

In graph  $G$ ,  $B$  has *indegree 0*.

- The **degree** of a vertex  $u$  in an **undirected** graph is the number of edges of which  $u$  is an endpoint

In graph  $H$ ,  $A$  has *degree 2*.



# Graph Terminology: Paths, Cycles

A **path** is a sequence of vertices in which each consecutive pair are adjacent.

*A, C, D is a path in graph G.*

In a directed graph, paths must follow the direction of the edges (nodes must be ordered source then sink).



*A, B, C is not a path in graph G*

A **cycle** is a path that ends where it started

*A, B, C is a cycle in graph H*

A graph is **acyclic** if it has no cycles.

*Neither G nor H is acyclic.*





# Graph Terminology: Connectedness

A **subgraph** of a graph  $G$  is a graph whose node and edge sets are subsets of  $G$ 's node and edge sets.

$G' = V: \{C, D\}; E: \{(C, D), (D, C)\}$  is a subgraph of  $G$ .

An *undirected* graph is **connected** if there is a path between every pair of nodes in the graph.

$H$  is not connected, but the subgraph excluding  $E$  is.

A *directed* graph is **strongly connected** if there is a path between every pair of nodes in the graph.

$G$  is not strongly connected, but  $G'$  is

A *directed* graph is **weakly connected** if the graph would be connected if its edges were undirected.

The subgraph of  $G$  containing  $A, B, C$  is weakly connected.

