


Computer Graphics

Lecture 24

OpenGL Lab: Data Plumbing

Announcements

Graphics Pipeline: Overview



OpenGL: Your job, conceptually

(send geometry)

- Send buffers full of data to GPU up front.
- Tell GL how to interpret them (triangles, ...) (write vertex shader)
- GL executes custom-written **vertex shader program** on each vertex (to determine its location in **clip space**) = *normalized device coordinates*
- GL **rasterizes** primitives into pixel-shaped **fragments**
(write fragment shader)
- GL executes custom-written **fragment shader program** on each fragment to determine its color.
- GL writes fragment colors to framebuffer pixels; neat things appear on your screen.


Terminology, so far

- Clipping
- Rasterization
- Interpolation
- Fragment
- Shader

WebGL: Your Jobs

- Send geometry by calling `gl` functions
- Write a vertex shader in **GLSL**, the GL shader language
- Write a fragment shader

WebGL Data Plumbing: Overview



See also: today's lecture notes

WebGL: Hello, Triangle!

- Send geometry **by calling gl functions**
- Write a vertex shader **in GLSL, the GL**
- Write a fragment shader **shader language**

A first pass at the lab code...

WebGL: Hello, Triangle!


- Send geometry **by calling gl functions**
- Write a vertex shader **in GLSL, the GL shader language**
- Write a fragment shader

A first pass at the lab code...

okay so we saw some unfamiliar words in there:

buffer
attribute

WebGL Data Plumbing



See also: today's lecture notes

WebGL: Hello, Triangle!

- Send geometry **by calling gl functions**

- Write a vertex shader **in GLSL, the GL**
- Write a fragment shader **shader language**

A first look at the shader code...

Shader Responsibilities

The **vertex shader's job** is to:

- assign a value to **gl_Position**, which specifies the vertex's position
- assign values to any **varying** parameters needed later

The **fragment shader's job** is to:

- assign a value to **gl_FragColor**^{*}, which specifies the fragment's color

^{*}deprecated in webgl2 (which uses GLSL 3.0), but not in webgl1

GLSL - GL Shader Language

- A C-like mini-language
- Basic program looks like:

```
// some declarations  
  
void main() {  
    // main program  
}
```

- Built-in types for small vectors/matrices (e.g., `vec3`, `mat4`)

Task 1: Turn the triangle black

- Change the fragment shader's source code to set the triangle color to black instead of white.
- *Note:* colors are `vec4s`; the 4th channel is transparency ("alpha"):
 - 0.0 is fully transparent, 1.0 is fully opaque

Shader Responsibilities

The **vertex shader's job** is to:

- assign a value to **gl_Position**, which specifies the vertex's position
- assign values to any **varying** parameters needed later

Lab code so far:

```
gl_Position = vec4(Position, 1.0)
```

The **fragment shader's job** is to:


- assign a value to **gl_FragColor**^{*}, which specifies the fragment's color

Lab code so far:

```
gl_FragColor = vec4(0.0, 0.0, 0.0, 1.0)
```


^{*}deprecated in webgl2 (which uses GLSL 3.0), but not in webgl1

WebGL Data Plumbing



See also: today's lecture notes

WebGL Data Plumbing



See also: today's lecture notes

GLSL - GL Shader Language

- Built-in types for small vectors/matrices (e.g., `vec3`, `mat4`). They have friendly constructors:

```
vec3 a = vec3(1.0, 1.0, 1.0)
vec4 b = vec4(a, 1.0)
```

- Multiplication does matrix multiplication:


```
// GL matrices are in column-major order
mat2 A = mat2(1.0, 2.0, 3.0, 4.0);
vec2 x = vec2(1.0, 0.0);
```

```
vec2 a = A * x; // a = (1, 2)
```

Task 2: Add a uniform

- Add a uniform variable called `Matrix` containing a 4x4 matrix
- In the vertex shader, multiply the `Position` attribute of the vertex by the `Matrix` to move the triangle vertices.

Terminology: data plumbing



See also: today's lecture notes

GLSL - GL Shader Language

- `varyings` are declared in both the Vertex shader and in the Fragment shader.
 - The vertex shader sets their values for each vertex, then the rasterizer **interpolates** their values for each fragment and passes to the fragment shader.
- By convention, `varying` names are usually chosen to begin with `v`, such as `vColor` or `vNormal`

Task 3: Add a varying

- Set up a *varying* parameter to set the color at each vertex
- Use the interpolated values in the fragment shader to set each fragment's color.